# Law of Georgia on Narcotic Drugs, Psychotropic Substances, Precursors and Narcological Assistance

The lists of restricted medications and substances below were last updated in April 2026, following amendments introduced by Law of Georgia No. 1488 of 14 April 2026.

## List I – Narcotic drugs strictly restricted for circulation

| № | Name of substance | Chemical name |
|---|---|---|
| 1 | (+)-LYSERGIDE (LSD, LSD-25) | 9,10-didehydro-N,N-diethyl-6-methylergoline-8 β-carboxamide |
| 2 | (Removed – 16.04.2014, No. 2235) | |
| 3 | (Removed – 16.04.2014, No. 2235) | |
| 4 | (Removed – 16.04.2014, No. 2235) | |
| 5 | (Removed – 16.04.2014, No. 2235) | |
| 6 | (Removed – 16.04.2014, No. 2235) | |
| 7 | (Removed – 16.04.2014, No. 2235) | |
| 8 | (Removed – 16.04.2014, No. 2235) | |
| 9 | (Removed – 16.04.2014, No. 2235) | |
| 10 | (Removed – 16.04.2014, No. 2235) | |
| 11 | (Removed – 16.04.2014, No. 2235) | |
| 12 | (Removed – 16.04.2014, No. 2235) | |
| 12[1] | 2-methyl-AP-237 | 1-{2-Methyl-4-[(2E)-3-phenylprop-2-en-1-yl]piperazin-1-yl}butan-1-one |
| 12[2] | 2-fluorodeschloroketamine | 2-(2-fluorophenyl)-2-(methylamino)cyclohexan-1-one |
| 12[3] | 3-chloromethcathinone (3-CMC) | 1-(3-chlorophenyl)-2-(methylamino)propan-1-one |
| 13 | 3-METHYLTHIOFENTANYL | N-[3-methyl-1-[2-(2-thienyl)ethyl]-4-piperidyl] propionanilide |
| 13[1] | 3-Methylmethcathinone | 2-(methylamino)-1-(3-methylphenyl)propan-1-one |
| 14 | 3-METHYLFENTANYL | N-(3-methyl-1-phenethyl-4-piperidyl)propionanilide |
| 15 | (Removed – 16.04.2014, No. 2235) | |
| 16 | (Removed – 16.04.2014, No. 2235) | |
| 17 | (Removed – 16.04.2014, No. 2235) | |
| 18 | (Removed – 16.04.2014, No. 2235) | |
| 19 | (Removed – 16.04.2014, No. 2235) | |
| 20 | (Removed – 16.04.2014, No. 2235) | |
| 21 | 4-METHYLAMINOREX | (±)- cis-2-amino-4-methyl-5-phenyl-2-oxazoline |
| 21[1] | 4,4'-DMAR, 4,4'Dimethylaminorex | para-methyl-4-methylaminorex |
| 21[2] | 4-METHYLETHCATHINONE | (4 - MEC) |
| 21[3] | 5F-APINACA | (5F-AKB-48) |
| 21[4] | 4-Fluoroisobutyrfentanyl (4-FIBF, pFIBF) | N-(4-Fluorophenyl)-2-methyl-N-[1-(2-phenylethyl)piperidin-4-yl]propanamide |
| 21[5] | 4-Fluoroamphetamine (4-FA) | 1-(4-Fluorophenyl)propan-2-amine |
| 21[6] | 5F-MDMB-PINACA (5F-ADB) | Methyl (2S)-2-{[1-(5-fluoropentyl)-1H-indazole-3-carbonyl]amino}-3,3-dimethylbutanoate |
| 21[7] | 5F-PB-22 | Quinolin-8-yl 1-(5-fluoropentyl)-1H-indole-3-carboxylate |
| 21[8] | 4-CMC (4-chloromethcathinone; clephedrone) | 1-(4-chlorophenyl)-2-(methylamino)-1-propanone |
| 21[9] | 4F-MDMB-BINACA | Methyl(S)-2-(1-(4-fluorobutyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate |
| 21[10] | 5F-AMB-PINACA (5F-AMB, 5F-MMB-PINACA) | Methyl 2-({[1-(5-fluoropentyl)-1H-indazol-3yl]carbonyl}amino)-3-methylbutanoate |
| 21[11] | 5F-MDMB-PICA (5F-MDMB-2201) | Methyl(S)-2-(1-(5-fluoropentyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate |
| 21[12] | 3-Methoxyphencyclidine | 1-(1-(3-Methoxyphenyl)cyclohexyl)piperidine |
| 22 | (Removed – 16.04.2014, No. 2235) | |
| 23 | (Removed – 16.04.2014, No. 2235) | |
| 24 | (Removed – 16.04.2014, No. 2235) | |
| 25 | (Removed – 16.04.2014, No. 2235) | |
| 26 | (Removed – 16.04.2014, No. 2235) | |

| № | Name of substance | Chemical name |
|---|---|---|
| 27 | (Removed – 16.04.2014, No. 2235) | |
| 27[1] | N-ETHYLNORPENTYLONE (Ephylone) | 1-(2H-1,3-benzodioxol-5-yl)-2-(ethylamino)pentan-1-one |
| 27[2] | N-ethylhexedrone | 2-(Ethylamino)-1-phenyl-1-hexanone |
| 27[3] | N-pyrrolidino protonitazene | 2-(4-propoxybenzyl)-5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1H-benzo[d]imidazole |
| 27[4] | N-pyrrolidino metonitazene | 2-(4-methoxybenzyl)-5-nitro-1-(2(pyrrolidin-1-yl)ethyl)-1H-benzo[d]imidazole |
| 27[5] | N-desethyl isotonitazene | N-ethyl-2-[2-[(4-isopropoxyphenyl)methyl]-5-nitro-benzimidazol-1-yl]ethanamine |
| 28 | N-HYDROXY MDA | (±)-N [ α-methyl-3,4-(methylenedioxy)phenethyl] hydroxylamine |
| 28[1] | ADB-FUBINACA | N-[(2S)-1-amino-3,3-dimethyl-1-oxobutan-2-yl]-1-[(4-fluorophenyl)methyl]-1H-indazole-3-carboxamide |
| 28[2] | ADB-CHMINACA (MAB-CHMINACA) | N-[(2S)-1-amino-3,3-dimethyl-1-oxobutan-2-yl]-1-(cyclohexylmethyl)-1H-indazole-3-carboxamide |
| 28[3] | Acryloylfentanyl (Acrylfentanyl) | N-Phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]prop-2-enamide |
| 28[4] | AB-CHMINACA | N-[(2S)-1-Amino-3-methyl-1-oxobutan-2yl]-1-(cyclohexylmethyl)-1H-indazole-3-carboxamide |
| 28[5] | AB-PINACA | N-[(2S)-1-Amino-3-methyl-1-oxobutan-2-yl]-1-pentyl-1H-indazole-3-carboxamide |
| 28[6] | AB-FUBINACA | N-[(2S)-1-amino-3-methyl-1-oxobutan-2-yl]-1-[(4-fluorophenyl)methyl]indazole-3-carboxamide |
| 28[7] | ADB-BUTINACA | N-[1-(aminocarbonyl)-2,2-dimethylpropyl]-1-butyl-1H-indazole-3-carboxamide |
| 29 | ALPHAMETHADOL | α-6-dimethylamino-4,4-diphenyl-3-heptanol |
| 30 | 4-MTA | α-methyl-4-methylthiophenethylamine |
| 31 | ALPHA-METHYLTHIOFENTANYL | N-[1-[1-methyl-2-(2-thienyl)ethyl]-4-piperidyl] propionanilide |
| 32 | ALPHA-METHYLFENTANYL | N-[1-(α-methylphenethyl)-4-piperidyl]propionanilide |
| 33 | ALPHAMEPRODINE | α-3-ethyl-1-methyl-4-phenyl-4-propionoxypiperidine |
| 33[1] | α-PVP | α-pyrrolidinovalerophenone |
| 33[2] | alpha-PHP | (RS)-1-Phenyl-2-(pyrrolidine-1-yl)hexan-1-one |
| 33[3] | alpha-PiHP | 4-methyl-1-phenyl-2-(pyrrolidin-1-yl)pentan-1-one |
| 34 | ALPHACETYLMETHADOL | α-3-acetoxy-6-dimethylamino-4,4-diphenylheptane |
| 34[1] | AH-7921 | 3,4-dichloro-N-[(1-dimethylamino)cyclohexylmethyl]benzamide |
| 35 | ACETYL-ALPHA-METHYLFENTANYL | N-[1-(α-methylphenethyl)-4-piperidyl]acetanilide |
| 36 | ACETYLMETHADOL | 3-acetoxy-6-dimethylamino-4,4-diphenylheptane |
| 36[1] | Acetylfentanyl | N-[1-(2-phenylethyl)-4-piperidyl]-N-phenylacetamide |
| 37 | ACETORPHINE | 3-O-acetyltetrahydro-7 α-(1-hydroxy-1-methylbutyl)-6,14-endo-ethenooripavine (derivative of thebaine) |
| 38 | BEZITRAMIDE | 1-(3-cyano-3,3-diphenylpropyl)-4-(2-oxo-3-propionyl-1-benzimidazolinyl)piperidine |
| 39 | BENZETHIDINE | 1-(2-benzyloxyethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 40 | BENZYLMORPHINE | 3-benzylmorphine |
| 40[1] | N-BENZYLPIPERAZINE (Benzylpiperazine, BZP) | 1-benzylpiperazine |
| 41 | BETAMETHADOL | β-6-dimethylamino-4,4-diphenyl-3-heptanol |
| 42 | BETAMEPRODINE | β-3-ethyl-1-methyl-4-phenyl-4-propionoxypiperidine |
| 43 | BETAPRODINE | β-1,3-dimethyl-4-phenyl-4-propionoxypiperidine |
| 44 | BETACETYLMETHADOL | β-3-acetoxy-6-dimethylamino-4,4-diphenylheptane |
| 45 | BETA-HYDROXY-3-METHYLFENTANYL | N-[1-(β-hydroxyphenethyl)-3-methyl-4-piperidyl]propionanilide |
| 46 | BETA-HYDROXYFENTANYL | N-[1-(β-hydroxyphenethyl)-4-piperidyl]propionanilide |
| 47 | (Removed – 16.04.2014, No. 2235) | |
| 48 | (Removed – 16.04.2014, No. 2235) | |
| 49 | BROLAMFETAMINE (DOB) | (±)-4-bromo-2,5-dimethoxy-α-methylphenethylamine |
| 49[1] | BUTYRFENTANYL | N-phenyl-N-[1-(2-phenylethyl)-4-piperidinyl] butanamide |
| 49[2] | BRORPHINE | 1-{1-[1-(4-bromophenyl)ethyl]-piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one |

| № | Name of substance | Chemical name |
|---|---|---|
| 49[3] | Butonitazene | N,N-Diethyl-2-[(4-butoxyphenyl)methyl]-5-nitro-1H-benzimidazole-1-ethanamine |
| 50 | (Removed – 16.04.2014, No. 2235) | |
| 51 | (Removed – 16.04.2014, No. 2235) | |
| 52 | (Removed – 16.04.2014, No. 2235) | |
| 53 | (Removed – 16.04.2014, No. 2235) | |
| 54 | (Removed – 16.04.2014, No. 2235) | |
| 55 | (Removed – 16.04.2014, No. 2235) | |
| 56 | DESOMORPHINE | Dihydrodesoxymorphine<br>(derivative of morphine) |
| 57 | DET | 3-[2-(diethylamino)ethyl]indole |
| 58 | DIAMPROMIDE | N-[2-(methylphenethylamino)-propyl]propionanilide |
| 58[1] | Diclazepam | 7-Chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-benzo[e][1,4]diazepin2-one |
| 59 | (Removed – 16.04.2014, No. 2235) | |
| 60 | DIMEPHEPTANOL | 6-dimethylamino-4,4-diphenyl-3-heptanol |
| 60[1] | Dipentylone | 1-(1,3-benzodioxol-5-yl)-2-(dimethylamino)pentan-1-one |
| 61 | DIHYDROETORPHINE | 7,8-dihydro-7 α-[1-(R)-hydroxy-1-methylbutyl]-6,14-endo-ethanotetrahydrooripavine<br>(derivative of etorphine) |
| 62 | DIHYDROMORPHINE | (derivative of morphine) |
| 62[1] | Diphenidine | 1-(1,2-Diphenylethyl)piperidine |
| 63 | DMA | (±)-2,5-dimethoxy-α-methylphenethylamine |
| 64 | DMT | 3-[2-(dimethylamino)ethyl]indole |
| 65 | DMHP | 3-(1,2-dimethylheptyl)-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran-1-ol |
| 66 | DOET | (±)-4-ethyl-2,5-dimethoxy-α-methylphenethylamine |
| 66[1] | DOC | 4-Chloro-2,5-dimethoxyamfetamine |
| 67 | (Removed – 16.04.2014, No. 2235) | |
| 68 | (Removed – 16.04.2014, No. 2235) | |
| 69 | ECGONINE | its esters and derivatives which are convertible to ecgonine and cocaine |
| 70 | (Removed – 16.04.2014, No. 2235) | |
| 71 | ETHYLMETHYLTHIAMBUTENE | 3-ethylmethylamino-1,1-di-(2'-thienyl)-1-butene |
| 71[1] | ETHYLONE | |
| 71[2] | ETHYLPHENIDATE | |
| 72 | (Removed – 16.04.2014, No. 2235) | |
| 72[1] | Eutylone | 1-(1,3-Benzodioxol-5-yl)-2-(ethylamino)butan-1-one |
| 72[2] | Etazene | 2-[(4-Ethoxyphenyl)methyl]-N,N-diethyl-1H-benzimidazole-1-ethanamine |
| 73 | ETICYCLIDINE (PCE) | N-ethyl-1-phenylcyclohexylamine |
| 74 | ETONITAZENE | 1-diethylaminoethyl-2-p-ethoxybenzyl-5-nitrobenzimidazole |
| 74[1] | Etonitazepyne | 2-[(4-Ethoxyphenyl)methyl]-5-nitro-1-(2-pyrrolidin-1-ylethyl)-1H-benzoimidazole |
| 74[2] | Etonitazepipne | N-piperidinyl etonitazene, 2-[(4-ethoxyphenyl)methyl]-5-nitro-1-[2-(1-piperidinyl)ethyl]-1H-benzimidazole |
| 75 | ETORPHINE | tetrahydro-7 α-(1-hydroxy-1-methylbutyl)-6,14-endo-ethenooripavine<br>(derivative of thebaine) |
| 76 | (Removed – 16.04.2014, No. 2235) | |
| 77 | ETRYPTAMINE | 3-(2-aminobutyl)indole |
| 77[1] | VALERYLFENTANYL | N-(1-phenethylpiperidin-4-yl)-N-phenylpentanamide |
| 78 | THIOFENTANYL | N-[1-[2-(2-thienyl)ethyl]-4-piperidyl]propionanilide |
| 78[1] | Isotonitazene | N,N-diethyl-2-(2-(4-isopropoxybenzyl)-5-nitro-1H-benzo[d]imidazol-1-yl)ethan-1-amine |
| 79 | ISOMETHADONE | 6-dimethylamino-5-methyl-4,4-diphenyl-3-hexanone |
| 79[1] | XLR-11 | |
| 80 | (Removed – 16.04.2014, No. 2235) | |
| 81 | CATHINONE | (–)-(S)-2-aminopropiophenone |
| 82 | CANNABIS | "Cannabis" means the flowering or fruiting tops of the cannabis plant (excluding theseeds and leaves when not accompanied by the tops) from which the resin has not been extracted, by whatever name they may be designated. |

| № | Name of substance | Chemical name |
|---|---|---|
| 83 | (EXTRACTS AND TINCTURS OF CANNABIS) | |
| 84 | (CANNABIS OIL) | The oil of cannabis derivedin any way |
| 85 | (CANNABIS RESIN) | Crude and/or purified cannabis resin obtained from the cannabis plant |
| 85[1] | Carfentanil | Methyl 1-(2-phenylethyl)-4-[phenyl(propanoyl)amino]piperidine-4-carboxylate |
| 86 | KETOBEMIDONE | 4-m-hydroxyphenyl-1-methyl-4-propionylpiperidine |
| 86[1] | Clonazolam | 6-(2-Chlorophenyl)-1-methyl-8-nitro-4H-benzo[f][1,2,4]triazolo[4,3-a][1,4]diazepine |
| 87 | CODOXIME | dihydrocodeinone-6-carboxymethyloxime (derivate of morphine) |
| 88 | COCA LEAF | the leaf of the coca bush (plant material), except a leaf from which all ecgonine, cocaine and any other ecgonine alkaloids have been removed |
| 88[1] | CUMYL-4CN-BINACA | 1-(4-cyanobutyl)-N-(2-phenylpropan-2-yl)-1H-indazole-3-carboxamide |
| 88[2] | CROTONYLFENTANYL | (E)-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide |
| 88[3] | CUMYL-PEGACLONE | 5-Pentyl-2-(2-phenylpropan-2-yl)-2,5-dihydro-1H-pyrido[4,3-b]indol-1-one |
| 89 | (Removed – 16.04.2014, No. 2235) | |
| 90 | LEVOMETHORPHAN | (-)-3-methoxy-N-methylmorphinan |
| 91 | LEVOMORAMIDE | (-)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)butyl]morpholine |
| 92 | LEVOPHENACYLMORPHAN | (-)-3-hydroxy-N-phenacylmorphinan |
| 93 | LYSERGIC ACID | ((8ß)-9,10-didehydro-6-methylergoline-8-carboxylic acid) |
| 94 | (Removed – 16.04.2014, No. 2235) | |
| 95 | MDE, N-ETHYL MDA | (±)-N- ethyl-α-methyl-3,4-(methylenedioxy) phenethylamine |
| 96 | MDMA | (±)-N, α-dimethyl-3,4-(methylenedioxy) phenethylamine |
| 96[1] | MDPV (3,4-Methylenedioxypyrovalerone) | (R/S)-1-(Benzo[d][1,3]dioxol-5-yl)-2-(pyrrolidin-1-yl)pentan-1-one |
| 96[2] | MDMB-CHMICA | |
| 96[3] | MDMB-4en-PINACA | Methyl3,3-dimethyl-2-(1-(pent-4-en-1-yl)-1H-indazole-3-carboxamido)butanoate |
| 97 | (Removed – 16.04.2014, No. 2235) | |
| 98 | (Removed – 16.04.2014, No. 2235) | |
| 99 | (Removed – 16.04.2014, No. 2235) | |
| 100 | METHADONE INTERMEDIATE | 4-cyano-2-dimethylamino-4,4-diphenylbutane |
| 101 | METHYLDESORPHINE | 6-methyl-Δ 6-deoxymorphine (derivative of morphine) |
| 102 | METHYLDIHYDROMORPHINE | 6-methyldihydromorphine (derivative of morphine) |
| 102[1] | METHYLONE (Beta-keto-MDMA) | (RS)-2-methylamino-1-(3,4-methylenedioxyphenyl) propan-1-one |
| 102[2] | METHIOPROPAMINE | (MPA) |
| 103 | (Removed – 16.04.2014, No. 2235) | |
| 104 | METHCATHINONE (EPHEDRONE) | 2-(methylamino)-1-phenylpropan-1-one |
| 104[1] | METHOXETAMINE (MXE) | 2-(3-methoxyphenyl)-2-(ethylamino)cyclohexanone-2-one |
| 104[2] | Methoxyacetylfentanyl | 2-Methoxy-N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]acetamide |
| 105 | (Removed – 16.04.2014, No. 2235) | |
| 106 | MESCALINE | 3,4,5-trimethoxyphenethylamine |
| 107 | METAZOCINE | 2'-hydroxy-2,5,9-trimethyl-6,7-benzomorphan |
| 107[1] | MEPHEDRONE (4-methylmethcathinone) | (RS)-2-methylamino-1-(4-methylphenyl) propan-1-one |
| 107[2] | METONITAZENE | N,N-diethyl-2-(2-(4-methoxybenzyl)-5-nitro-1H-benzo[d]imidazol-1-yl)ethan-1-amine |
| 108 | (Removed – 16.04.2014, No. 2235) | |
| 109 | METOPON | 5-methyldihydromorphinone (derivative of morphine) |
| 110 | (Removed – 16.04.2014, No. 2235) | |
| 111 | (Removed – 16.04.2014, No. 2235) | |
| 112 | MYROPHINE | Myristylbenzylmorphine (derivate of morphine) |
| 113 | MMDA | 5-methoxy-α-methyl-3,4-(methylenedioxy) phenethylamine |

| № | Name of substance | Chemical name |
|---|---|---|
| 114 | MORAMIDE INTERMEDIATE | 2-methyl-3-morpholino-1,1-diphenylpropane carboxylic acid |
| 115 | MORPHERIDINE | 1-(2-morpholinoethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 116 | MORPHINE-N-OXIDE | (derivate of morphine) |
| 117 | MORPHINE METHOBROMIDE AND OTHER PENTAVALENT NITROGEN MORPHINE DERIVATIVES INCLUDING IN PARTICULAR THE MORPHINE-N-OXIDE DERIVATIVES, ONE OF WHICH IS CODEINE-N-OXIDE | |
| 117[1] | MT-45 | 1-cyclohexyl-4-(1,2-diphenylethyl)piperazine |
| 118 | MPPP | 1-methyl-4-phenyl-4-piperidinol propionate (ester) |
| 119 | (Removed – 16.04.2014, No. 2235) | |
| 120 | (Removed – 16.04.2014, No. 2235) | |
| 121 | (Removed – 16.04.2014, No. 2235) | |
| 122 | (Removed – 16.04.2014, No. 2235) | |
| 123 | (Removed – 16.04.2014, No. 2235) | |
| 124 | NORACYMETHADOL | (±)-α-3-acetoxy-6-methylamino-4,4-diphenylheptane |
| 125 | NORLEVORPHANOL | (-)-3-hydroxymorphinan |
| 126 | NORMORPHINE | demethylmorphine<br>(derivate of morphine) |
| 126[1] | Norfentanyl | (Propanamide, N-phenyl-N-4-piperidinyl-)<br>HS code: 2933.39<br>CAS number: 1609-66-1 |
| 127 | (Removed – 16.04.2014, No. 2235) | |
| 128 | OPIUM | The coagulated juice of the opium poppy (plant species Papaver somniferum L.) |
| 129 | Extraction opium, including: a) aqueous extract, decoction, infusion, tincture or dry residue obtained by evaporation from any plant species containing narcotic drugs (morphine, codeine, thebaine, oripavine); b) narcotically active alkaloids obtained in any way from the opium poppy; c) any preparation made in a home-made way from poppy straw | |
| 130 | (EXTRACT OPIUM) | |
| 131 | (TINCTURA OPII) | |
| 131[1] | Orthofluorofentanyl | N-(2-Fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl] propanamide |
| 132 | OXYMORPHONE | 14-hydroxydihydromorphinone<br>(derivate of morphine) |
| 132[1] | Ocfentanil | N-(2-Fluorophenyl)-2-methoxy-N-[1-(2-phenylethyl)piperidin-4-yl]acetamide |
| 133 | PARA-FLUOROFENTANYL | 4'-fluoro-N-(1-phenethyl-4-piperidyl)propionanilide |
| 133[1] | Parafluorobutyrylfentanyl | N-(4-Fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]butanamide |
| 134 | PARAHEXYL | 3-hexyl-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran-1-ol |
| 135 | PETHIDINE INTERMEDIATE A | 4-cyano-1-methyl-4-phenylpiperidine |
| 136 | PETHIDINE INTERMEDIATE B | 4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 137 | PETHIDINE INTERMEDIATE C | 1-methyl-4-phenylpiperidine-4-carboxylic acid |
| 137[1] | PENTEDRONE | |
| 138 | PEPAP | 1-phenethyl-4-phenyl-4-piperidinol acetate (ester) |
| 139 | PIMINODINE | 4-phenyl-1-(3-phenylaminopropyl)piperidine-4-carboxylic acid ethyl ester |
| 140 | PMA | p-methoxy-α-methylphenethylamine |
| 141 | (Removed – 16.04.2014, No. 2235) | |
| 142 | PROPERIDINE | 1-methyl-4-phenylpiperidine-4-carboxylic acid isopropyl ester |
| 142[1] | Protonitazene | N,N-Diethyl-5-nitro-2-[(4-propoxyphenyl)methyl]-1H-benzimidazole1-ethanamine |
| 143 | PROHEPTAZINE | 1,3-dimethyl-4-phenyl-4-propionoxyazacycloheptane |
| 144 | PSILOCINE, PSILOTSIN | 3-[2-(dimethylamino)ethyl]indol-4-ol |
| 145 | PSILOCYBINE | 3-[2-(dimethylamino)ethyl]indol-4-yl dihydrogen phosphate |
| 146 | (Removed – 16.04.2014, No. 2235) | |

| № | Name of substance | Chemical name |
|---|---|---|
| 147 | (Removed – 16.04.2014, No. 2235) | |
| 148 | (Removed – 16.04.2014, No. 2235) | |
| 149 | (Removed – 16.04.2014, No. 2235) | |
| 150 | RACEMETHORPHAN | (±)-3-methoxy-N-methylmorphinan |
| 151 | RACEMORAMIDE | (±)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)butyl]morpholine |
| 152 | ROLICYCLIDINE (PHP, PCPY) | 1-(1-phenylcyclohexyl)pyrrolidine |
| 153 | (Removed – 16.04.2014, No. 2235) | |
| 154 | STP, DOM | 2,5-dimethoxy-α, 4-dimethylphenethylamine |
| 155 | TENAMFETAMINE (MDA) | α-methyl-3,4-(methylenedioxy)phenethylamine |
| 156 | TENOCYCLIDINE (TCP) | 1-[1-(2-thienyl)cyclohexyl]piperidine |
| 157 | tetrahydrocannabinol, the following isomers and their stereochemical variants: | 7,8,9,10-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol; (9R,10aR)-8,9,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol; (6aR,9R,10aR)-6a,9,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol; (6aR,10aR)-6a,7,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol; 6a,7,8,9-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol;<br>(6aR,10aR)-6a,7,8,9,10,10a-hexahydro-6,6-dimethyl-9-methylene3- pentyl-6H-dibenzo[b,d]pyran-1-ol |
| 157[1] | Tetrahydrofuranylfentanyl<br>(THF-F) | N-Phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]oxolane-2-carboxamide |
| 158 | (Removed – 16.04.2014, No. 2235) | |
| 159 | TMA | (±)-3,4,5-trimethoxy-α-methylphenethylamine |
| 159[1] | U-47700 | 3,4-dichloro-N-(2-dimethylamino-cyclohexyl)-N-methyl-benzamide |
| 159[2] | UR-144 | (1-Pentyl-1H-indol-3-yl)(2,2,3,3-tetramethylcyclopropyl)methanone |
| 160 | PHENAMPROMIDE | N-(1-methyl-2-piperidinoethyl)propionanilide |
| 161 | PHENOMORPHAN | 3-hydroxy-N-phenethylmorphinan |
| 162 | PHENOPERIDINE | 1-(3-hydroxy-3-phenylpropyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 162[1] | FUB-AMB<br>(MMB-FUBINACA, AMB-FUBINACA) | Methyl(2S)-2-({1-[4-fluorophenyl]methyl-1H-indazole-3-carbonyl }amino)-3-methylbutanoate |
| 162[2] | Flubromazolam | 8-Bromo-6-(2-fluorophenyl)-1-methyl-4H-benzo[f][1,2,4]triazolo[4,3-a][1,4]diazepine |
| 163 | (Removed – 16.04.2014, No. 2235) | |
| 163[1] | Furanylfentanyl | N-Phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-furan-2-carboxamide |
| 164 | FURETHIDINE | 1-(2-tetrahydrofurfuryloxyethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 165 | CP 47,497 | 5-(1,1-dimethylhexyl)-2-[(1R,3S)-3-hydroxycyclohexyl]-phenol |
| 165[1] | Cyclopropylfentanyl | N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl] cyclopropanecarboxamide |
| 166 | (Removed – 16.04.2014, No. 2235) | |
| 167 | (Removed – 16.04.2014, No. 2235) | |
| 168 | (Removed – 16.04.2014, No. 2235) | |
| 169 | JWH-018 | Naphthalen-1-yl-(1-pentylindol-3-yl)methanon |
| 170 | JWH-073 | 1-butyl-3-(1-naphthoyl)indole |
| 171 | JWH-200 | 1-[2-(4-morpholino)ethyl]-3-(1-naphthoyl)indole |
| 172 | JWH-250 | 1-pentyl-3-(2-methoxyphenylacetyl)indole |
| 173 | JWH-398 | 1-pentyl-3-(4-chloro-1-naphthoyl)indole |
| 174 | (Removed – 16.04.2014, No. 2235) | |
| 175 | PAPAVER SOMNIFERUM | |
| 176 | POPPY STRAW | all parts(except the seeds) of the opium poppy, after mowing |
| 177 | CONCENTRATE OF POPPY STRAW | the material arising when poppy straw has entered into a process for the concentration of its alkaloids when such material is made available in trade,<br>(“Poppy straw”: all parts (except the seeds) of the opium poppy, after mowing) |

| № | Name of substance | Chemical name |
|---|---|---|
| 178 | EXTRACT OF POPPY STRAW | Narcotically active alkaloids obtained in any way from opium poppy straw, as well as any preparation made in a home-made way from poppy straw |
| 179 | THE COAGULATED JUICE AND TINCTURS OF POPPY STRAW | |
| 180 | All species of poppy, and products prepared from them, that are not the opium poppy but contain a narcotic drug specified in this list | |
| 181 | HEROIN | diacetylmorphine<br>(derivative of morphine) |
| 182 | HU-210 | 1,1-dimethylheptyl-11-hydroxytetrahydrocannabinol |
| 183 | JWH-081 | 4-methoxynaphthalen-1-yl-(1-pentylindol-3-yl) methanone |
| 184 | JWH-122 | 4- methyl- 1- naphthalenyl)(1- pentyl- 1H- indol- 3- yl)-methanone |
| 185 | JWH-2201 (AM-2201) | [1-(5-Fluoropentyl)-1H-indol-3-yl](naphthalen-1-yl)methanone |
| 186 | 25B-NBOMe (2C-B-NBOMe) | 2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine |
| 187 | 25C-NBOMe (2C-C-NBOMe) | 2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine |
| 188 | 25I-NBOMe (2C-I-NBOMe) | 2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine |
| 189 | 3398-68-3 (PMMA) | para-methoxymethylamphetamine |

# List II – Narcotic drugs restricted for circulation

| № | Name of substance | Chemical name |
|---|---|---|
| 1 | 2C-B | 4-bromo-2,5-dimethoxyphenethylamine |
| 2 | ALLYLPRODINE | 3-allyl-1-methyl-4-phenyl-4-propionoxypiperidine |
| 3 | ALPHAPRODINE | α-1,3-dimethyl-4-phenyl-4-propionoxypiperidine |
| 4 | ALFENTANIL | N-[1-[2-(4-ethyl-4,5-dihydro-5-oxo-1H-tetrazol-1-yl)ethyl]-4-(methoxymethyl)-4-piperidinyl]-N-phenylpropanamide |
| 5 | AMINEPTINE | 7-[(10,11-dihydro-5H-dibenzo[a, d]cyclohepten-5-yl) amino]heptanoic acid |
| 6 | AMOBARBITAL | 5-ethyl-5-isopentylbarbituric acid |
| 7 | AMFETAMINE (amphetamine) | (±)-α-methylphenethylamine |
| 8 | ANILERIDINE | 1-p-aminophenethyl-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 9 | ACETYLDIHYDROCODEINE | (derivative of codein) |
| 10 | BUPRENORPHINE | 2l-cyclopropyl-7-α-[(S)-1-hydroxy-1,2,2-trimethylpropyl]-6,14-endo-ethano-6,7,8,14-tetrahydrooripavine |
| 11 | BUTALBITAL | 5-allyl-5-isobutylbarbituric acid |
| 12 | BUTORPHANOL | 17-cyclobutylmethyl-morphinan-3,14-diol |
| 12[1] | GHB | γ-hydroxybutyric acid |
| 13 | GLUTETHIMIDE | 2-ethyl-2-phenylglutarimide |
| 14 | DEXAMFETAMINE (dexamphetamine) | (+)-α-methylphenethylamine |
| 15 | DEXTROMORAMIDE | (+)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl) butyl]morpholine<br>(dextro-rotatory isomer of moramide) |
| 16 | DEXTROPROPOXYPHENE | α-(+)-4-dimethylamino-1,2-diphenyl-3-methyl-2-butanol propionate<br>(Dextro-rotary isomer of propoxyphene) |
| 17 | DIETHYLTHIAMBUTENE | 3-diethylamino-1,1-di-(2’-thienyl)-1-butene |
| 18 | DIMETHYLTHIAMBUTENE | 3-dimethylamino-1,1-di-(2'-thienyl)-1-butene |
| 19 | DIMENOXADOL | 2-dimethylaminoethyl-1-ethoxy-1,1-diphenylacetate |
| 20 | DIOXAPHETYL BUTYRATE | ethyl-4-morpholino-2,2-diphenylbutyrate |
| 21 | DIPIPANONE | 4,4-diphenyl-6-piperidine-3-heptanone |
| 22 | DIPHENOXYLATE | 1-(3-cyano-3,3-diphenylpropyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 23 | DIFENOXIN | 1-(3-cyano-3,3-diphenylpropyl)-4-phenylisonipecotic acid |
| 24 | DIHYDROCODEINE | (derivative of morphine) |

| № | Name of substance | Chemical name |
|---|---|---|
| 25 | DRONABINOL<br>This international non-proprietary name refers to only one of the stereochemical variants of delta-9-tetrahydrocannabinol, namely (-)-trans-delta-9-tetrahydrocannabinol | (6aR, 10aR)-6a, 7,8,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H- dibenzo [b,d]pyran-1-ol |
| 26 | DROTEBANOL | 3,4-dimethoxy-17-methylmorphinan-6β,14-diol |
| 27 | ETHYLMORPHINE | 3-ethylmorphine<br>(derivative of morphine) |
| 28 | ETOXERIDINE | 1-[2-(2-hydroxyethoxy)-ethyl]-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 29 | ZIPEPROL | α - (α-methoxybenzyl)-4- (β-methoxyphenethyl)-1-piperazineethanol |
| 30 | THEBAINE | (an alkaloid of opium; also found in Papaver bracteatum) |
| 31 | THEBACON | Acetyldihydrocodeinone (acetylatedenol form of hydrocodone) |
| 32 | CATHINE (+)-norpseudoephedrine | (+)-(S)-α-[(S)-1-aminoethyl]benzyl alcohol |
| 33 | CLONITAZENE | 2-(p-chlorobenzyl)-1-diethylaminoethyl-5-nitrobenzimidazole |
| 34 | CODEINE | 3-methylmorphine<br>(derivate of morphine, alkaloid contained in opium & poppy straw) |
| 35 | COCAINE | methyl ester of benzoylecgonine<br>(an alkaloid found in coca leaves or prepared by synthesis from ecgonine) |
| 36 | LEVAMFETAMINE (levamphetamine) | (–)-(R)-α-methylphenethylamine(amphetamine(-)isomer |
| 37 | LEVOMETHAMPHETAMINE | (–)-N, α-dimethylphenethylamine |
| 38 | LEVORPHANOL | (-)-3-hydroxy-N-methylmorphinan |
| 39 | METHAQUALONE | 2-methyl-3-o-tolyl-4(3H)-quinazolinone |
| 40 | METHADONE | 6-dimethylamino-4,4-diphenyl-3-heptanone |
| 41 | METHYLPHENIDATE | methyl α-phenyl-2-piperidine acetate |
| 42 | METAMFETAMINE (methamphetamine) | (+)-(S)-N,α-dimethylphenethylamine |
| 43 | METAMFETAMINE RACEMATE<br>(methamphetamine racemate) | (±)-N, α-dimethylphenethylamine |
| 44 | MECLOQUALONE | 3-(o-chlorophenyl)-2-methyl-4(3H)-quinazolinone |
| 45 | MORPHINE | the principal alkaloid of opium and of opium poppy |
| 46 | NALBUPHINE | (–)-17-(cyclobutylmethyl)- 4,5 α-epoxymorphinan-3,6 α, 14-triol hydrochloride |
| 47 | NICODICODINE | 6-nicotinyldihydrocodeine<br>(derivative of morphine) |
| 48 | NICOCODINE | 6-nicotinylcodeine<br>(derivative of morphine) |
| 49 | NICOMORPHINE | 3,6-dinicotinylmorphine<br>(derivate of morphine) |
| 50 | NORCODEINE | N-demethylcodeine<br>(derivative of morphine) |
| 51 | NORMETHADONE | 6-dimethylamino-4,4-diphenyl-3-hexanone |
| 52 | NORPIPANONE | 4,4-diphenyl-6-piperidino-3-hexanone |
| 53 | ORIPAVINE | 3-O-demethylthebaine |
| 54 | OPII MEDICINALIS | |
| 55 | OXYCODONE | 14-hydroxydihydrocodeinone<br>(derivate of morphine) |
| 56 | PANTOPON | |
| 57 | PAPAVERITUM (OMNOPON) | |
| 58 | PETHIDINE | 1-methyl-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 59 | PENTAZOCINE | (2R *,6R *,11R *)-1,2,3,4,5,6-hexahydro-6,11-dimethyl-3-(3-methyl-2-butenyl)-2,6-methano-3-benzazocin-8-ol |
| 60 | PENTOBARBITAL | 5-ethyl-5-(1-methylbutyl)barbituric acid |
| 61 | PIRITRAMIDE | 1-(3-cyano-3,3-diphenylpropyl)-4-(1-piperidino)piperidine-4-carboxylic acid amide |
| 62 | PROPIRAM | N-(1-methyl-2-piperidinoethyl)-N-2-pyridylpropionamide |
| 63 | RACEMORPHAN | (±)-3-hydroxy-N-methylmorphinan |
| 64 | REMIFENTANIL | 1-(2-methoxycarbonylethyl)-4-(phenylpropionylamino)-piperidine-4-carboxylic acid methyl ester |
| 65 | SECOBARBITAL | 5-allyl-5-(1-methylbutyl)barbituric acid |

| № | Name of substance | Chemical name |
|---|---|---|
| 66 | SUFENTANIL | N-[4-(methoxymethyl)-1-[2-(2-thienyl)ethyl]-4-piperidyl]propionanilide |
| 67 | TILIDINE | (±)-ethyl-trans-2-(dimethylamino)-1-phenyl-3-cyclohexene-1-carboxylate |
| 68 | TRAMADOL | (1R, 2R)- rel-2-[(dimethylamino)methyl]- 1-(3-methoxyphenyl)cyclohexanol |
| 69 | TRIMEPERIDINE | 1,2,5-trimethyl-4-phenyl-4-propionoxypiperidine |
| 70 | PHENADOXONE | 6-morpholino-4,4-diphenyl-3-heptanone |
| 71 | PHENAZOCINE | 2'-hydroxy-5,9-dimethyl-2-phenethyl-6,7-benzomorphan |
| 72 | FENETYLLINE | 7-[2-[(α-methylphenethyl)amino]ethyl]theophylline |
| 73 | PHENMETRAZINE | 3-methyl-2-phenylmorpholine |
| 74 | FENTANYL | 7-[2-[(α-methylphenethyl)amino]ethyl]theophylline |
| 75 | PHENCYCLIDINE (PCP) | 1-(1-phenylcyclohexyl)piperidine |
| 76 | FLUNITRAZEPAM | 5-(o-fluorophenyl)-1,3-dihydro-1-methyl-7-nitro-2H-1,4-benzodiazepin-2-one |
| 77 | PHOLCODINE | morpholinylethylmorphine (derivative of morphine) |
| 78 | CYCLOBARBITAL | 5-(1-cyclohexen-1-yl)-5-ethylbarbituric acid |
| 79 | HYDROCODONE | dihydrocodeinone (derivative of morphine) |
| 80 | HYDROMORPHINOL | 14-hydroxydihydromorphine (derivative of morphine) |
| 81 | HYDROMORPHONE | dihydromorphinone (derivative of morphine) |
| 82 | HYDROXYPETHIDINE | 4-m-hydroxyphenyl-1-methylpiperidine-4-carboxylic acid ethyl ester |

# List III – Psychotropic substances

| № | Name of substance | Chemical name |
|---|---|---|
| 1 | ALLOBARBITAL | 5,5-diallylbarbituric acid |
| 2 | ALPRAZOLAM | 8-chloro-1-methyl-6-phenyl-4H -s-triazolo[4,3-a ][1,4]benzodiazepine |
| 3 | AMINOREX | 2-amino-5-phenyl-2-oxazoline |
| 4 | AMFEPRAMONE (DIETHYLPROPION) | 2-(diethylamino)propiophenone |
| 5 | BARBITAL | 5,5-diethylbarbituric acid |
| 6 | BENZFETAMINE (benzphetamine) | N-benzyl-N, α-dimethylphenethylamine |
| 7 | BROMAZEPAM | 7-bromo-1,3-dihydro-5-(2-pyridyl)-2H-1,4-benzodiazepin-2-one |
| 7[1] | Bromazolam | 8-bromo-1-methyl-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine |
| 8 | BROTIZOLAM | 2-bromo-4-(o-chlorophenyl)-9-methyl-6H-thieno[3,2-f]-s-triazolo[4,3-a][1,4]diazepine |
| 9 | BUTOBARBITAL (BUTOBARBITAL) | 5-butyl-5-ethylbarbituricacid |
| 10 | DELORAZEPAM | 7-chloro-5-(o-chlorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one |
| 11 | DIAZEPAM | 7-chloro-1,3-dihydro-1-methyl-5-phenyl-2H-1,4-benzodiazepin- 2-one |
| 12 | ETHYL LOFLAZEPATE | ethyl 7-chloro-5-(o-fluorophenyl)-2,3-dihydro-2-oxo-1H-1,4-benzodiazepine-3-carboxylate |
| 13 | ETILAMFETAMINE (N-ETHYLAMPHETAMINE) | N-ethyl-α-methylphenethylamine |
| 14 | ETHINAMATE | 1-ethynylcyclohexanolcarbamate |
| 15 | ETHCHLORVYNOL | 1-chloro-3-ethyl-1-penten-4-yn-3-ol |
| 16 | ESTAZOLAM | 8-chloro-6-phenyl-4H -s-triazolo[4,3-a ][1,4]benzodiazepine |
| 16[1] | EPHEDRINE | ([R-(R*,S*)]--[1-(methylamino)ethyl]benzenemethanol |
| 16[2] | Etizolam | 4-(2-Chlorophenyl)-2-ethyl-9-methyl-6H-thieno[3,2-f][1,2,4]triazolo[4,3a][1,4]diazepine |
| 17 | VINYLBITAL | 5-(1-methylbutyl)-5-vinylbarbituric acid |

| № | Name of substance | Chemical name |
|---|---|---|
| 18 | ZOLPIDEM | N,N,6-trimethyl-2-p-tolylimidazo[1,2-a]pyridine-3-acetamide |
| 19 | TIANEPTINE | (RS)-7-(3-chloro-6-methyl-6,11-dihydrodibenzo [c,f ][1,2]thiazepin-11-ylamino) heptanoic acid S, S-dioxide |
| 20 | CAMAZEPAM | 7-chloro-1,3-dihydro-3-hydroxy-1-methyl-5-phenyl-2H-1,4-benzodiazepin-2-one dimethylcarbamate (ester) |
| 21 | KETAZOLAM | 11-chloro-8,12b-dihydro-2,8-dimethyl-12b-phenyl-4H-[1,3]oxazino[3,2-d][1,4]benzodiazepin-4,7(6H)-dione |
| 22 | KETAMINE | (RS)-2-(2-Chlorophenyl)-2-(methylamino)cyclohexanone |
| 23 | CLOBAZAM | 7-chloro-1-methyl-5-phenyl-1H-1,5-benzodiazepine-2,4(3H, 5H)-dione |
| 24 | CLONAZEPAM | 5-(o- chlorophenyl)-1,3-dihydro-7-nitro-2H-1,4-benzodiazepin-2-one |
| 25 | CLORAZEPATE | 7-chloro-2,3-dihydro-2-oxo-5-phenyl-1H-1,4-benzodiazepine-3-carboxylic acid |
| 26 | CLOTIAZEPAM | 5-(o-chlorophenyl)-7-ethyl-1,3-dihydro-1-methyl-2H-thieno[2,3-e]-1,4-diazepin-2-one |
| 27 | CLOXAZOLAM | 10-chloro-11b-(o-chlorophenyl)-2,3,7,11b-tetrahydro-oxazolo-[3,2-d][1,4]benzodiazepin-6(5H)-one |
| 28 | LEFETAMINE (SPA) | (–)-N,N-dimethyl-1,2-diphenylethylamine |
| 29 | LOPRAZOLAM | 6-(o-chlorophenyl)-2,4-dihydro-2-[(4-methyl-1-piperazinyl) methylene]-8- nitro-1H-imidazo[1,2-a ][1,4]benzodiazepin-1-one |
| 30 | LORAZEPAM | 7-chloro-5-(o-chlorophenyl)-1,3-dihydro-3-hydroxy-2H-1,4-benzodiazepin-2-one |
| 31 | LORMETAZEPAM | 7-chloro-5-(o-chlorophenyl)-1,3-dihydro-3-hydroxy-1-methyl-2H-1,4-benzodiazepin-2-one |
| 32 | MAZINDOL | 5-(p-chlorophenyl)-2,5-dihydro-3H-imidazo[2,1-a ]isoindol-5-ol |
| 33 | MEDAZEPAM | 7-chloro-2,3-dihydro-1-methyl-5-phenyl-1H-1,4-benzodiazepine |
| 34 | MESOCARB | 3- (α-methylphenethyl)-N-(phenylcarbamoyl)sydnone imine |
| 35 | METHYLPHENOBARBITAL | 5-ethyl-1-methyl-5-phenylbarbituric acid |
| 36 | METHYPRYLON | 3,3-diethyl-5-methyl-2,4-piperidine-dione |
| 37 | MEPROBAMATE | 2-methyl-2-propyl-1,3-propanedioldicarbamate |
| 38 | MEFENOREX | N-(3-chloropropyl)-α-methylphenethylamine |
| 39 | MIDAZOLAM | 8-chloro-6-(o-fluorophenyl)-1-methyl-4H-imidazo[1,5-a ][1,4]benzodiazepine |
| 40 | (Removed – 29.07.2014, No. 2561) | |
| 41 | NIMETAZEPAM | 1,3-dihydro-1-methyl-7-nitro-5-phenyl-2H-1,4-benzodiazepin-2-one |
| 42 | NITRAZEPAM | 1,3-dihydro-7-nitro-5-phenyl-2H-1,4-benzodiazepin-2-one |
| 43 | NORDAZEPAM | 7-chloro-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepin-2-one |
| 43[1] | NOREPHEDRINE | (R*,S*)-μ-(1-aminoethyl)benzenemethanol |
| 44 | OXAZEPAM | 7-chloro-1,3-dihydro-3-hydroxy-5-phenyl-2H-1,4-benzodiazepin-2-one |
| 45 | OXAZOLAM | 10-chloro-2,3,7,11b-tetrahydro-2-methyl-11b-phenyloxazolo[3,2-d][1,4]benzodiazepin-6(5H)-one |
| 46 | PEMOLINE | 2-amino-5-phenyl-2-oxazolin-4-one |
| 47 | PINAZEPAM | 7-chloro-1,3-dihydro-5-phenyl-1-(2-propynyl)-2H-1,4-benzodiazepin-2-one |
| 48 | PIPRADROL | 1,1 - diphenyl-1-(2-piperidyl)methanol |
| 49 | PYROVALERONE | 4'-methyl-2-(1-pyrrolidinyl)valerophenone |
| 50 | PRAZEPAM | 7-chloro-1-(cyclopropylmethyl)-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepin-2-one |
| 51 | PREGABALIN | (S)-3-(aminomethyl)-5-methylhexanoic acid |
| 52 | RELADORM | Cyclobarbital 0.1g + Diazepam 0.001g |
| 53 | SECBUTABARBITAL | 5- sec-butyl-5-ethylbarbituric acid |
| 54 | TEMAZEPAM | 7-chloro-1,3-dihydro-3-hydroxy-1-methyl-5-phenyl-2H-1,4-benzodiazepin-2-one |
| 55 | TETRAZEPAM | 7-chloro-5-(1-cyclohexen-1-yl)-1,3-dihydro-1-methyl-2H-1,4-benzodiazepin-2-one |

| № | Name of substance | Chemical name |
|---|---|---|
| 56 | TRIAZOLAM | 8-chloro-6-(o- chlorophenyl)-1-methyl-4H -s-triazolo[4,3-a ][1,4] benzodiazepine |
| 57 | PHENAZEPAM | 7-Bromo-5-(2-chlorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one |
| 58 | PHENDIMETRAZINE | (+)-(2S, 3S)-3,4-dimethyl-2-phenylmorpholine |
| 59 | FENCAMFAMIN | N-ethyl-3-phenyl-2-norbornanamine |
| 60 | PHENOBARBITAL | 5-ethyl-5-phenylbarbituric acid |
| 61 | FENPROPOREX | (±)-3-[(α-methylphenylethyl)amino]propionitrile |
| 62 | PHENTERMINE | α, α-dimethylphenethylamine |
| 62[1] | Flualprazolam | 8-Chloro-6-(2-fluoro-phenyl)-1-methyl-4h-benzo[f][1,2,4]triazolo[4,3-a][1,4]diazepime |
| 63 | FLUDIAZEPAM | 7-chloro-5-(o-fluorophenyl)-1,3-dihydro-1-methyl-2H-1,4-benzodiazepin-2-one |
| 64 | FLURAZEPAM | 7-chloro-1-[2-(diethylamino)ethyl]-5-(o-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one |
| 64[1] | PSEUDOEPHEDRINE | ([S-(R*,R*)]--[1-(methylamino)ethyl] benzenemethanol) |
| 65 | CHLORDIAZEPOXIDE | 7-chloro-2-(methylamino)-5-phenyl-3H-1,4-benzodiazepine-4-oxide |
| 66 | HALAZEPAM | 7-chloro-1,3-dihydro-5-phenyl-1-(2,2,2-trifluoroethyl)-2H-1,4-benzodiazepin-2-one |
| 67 | HALOXAZOLAM | 10-bromo-11b-(o-fluorophenyl)-2,3,7,11b-tetrahydrooxazolo[3,2-d] [1,4]benzodiazepin-6(5H)-one |
| 68 | Gabapentin | 2-[1-(aminomethyl)cyclohexyl]acetic acid |
| 69 | Baclofen | 4-amino-3-(4-chlorophenyl)butanoic acid |
| 70 | Trihexyphenidyl (Cyclodol) | 1-cyclohexyl-1-phenyl-3-piperidin-1-ylpropan-1-ol |

# List IV – Precursors

## Table No. 1

| № | Name of substance | Chemical name |
|---|---|---|
| 1 | 1-PHENYL-2-PROPANONE | (1-phenyl-2-propanone) |
| 1[1] | 3,4-MDP-2-P methyl glycidate | 2-oxiranecarboxylic acid, 3-(1,3-benzodioxol-5-yl)-2-methyl-, methyl ester] |
| 1[2] | 3,4-MDP-2-P methyl glycidic acid | 2-oxiranecarboxylic acid, 3-(1,3-benzodioxol-5-yl)-2-methyl- |
| 1[3] | 3,4-MDP-2-P methyl glycidic acid, ethyl ester | (2-oxiranecarboxylic acid, 3-(1,3-benzodioxol-5-yl)-2-methyl-, ethyl ester)<br>HS code: 2932.99<br>CAS number: 28578-16-7 |
| 1[4] | 3,4-MDP-2-P methyl glycidic acid, propyl ester | (2-oxiranecarboxylic acid, 3-(1,3-benzodioxol-5-yl)-2-methyl-, propyl ester)<br>HS code: 2932.99<br>CAS number: n/a |
| 1[5] | 3,4-MDP-2-P methyl glycidic acid, isopropyl ester | (2-oxiranecarboxylic acid, 3-(1,3-benzodioxol-5-yl)-2-methyl-, isopropyl ester)<br>HS code: 2932.99<br>CAS number: n/a |
| 1[6] | 3,4-MDP-2-P methyl glycidic acid, butyl ester | (2-oxiranecarboxylic acid, 3-(1,3-benzodioxol-5-yl)-2-methyl-, butyl ester)<br>HS code: 2932.99<br>CAS number: n/a |
| 1[7] | 3,4-MDP-2-P methyl glycidic acid, isobutyl ester | (2-oxiranecarboxylic acid, 3-(1,3-benzodioxol-5-yl)-2-methyl-, butyl ester)<br>HS code: 2932.99<br>CAS number: n/a |
| 1[8] | 3,4-MDP-2-P methyl glycidic acid, sec-butyl ester | (2-oxiranecarboxylic acid, 3-(1,3-benzodioxol-5-yl)-2-methyl-, sec-butyl ester)<br>HS code: 2932.99<br>CAS number: n/a |

| № | Name of substance | Chemical name |
|---|---|---|
| 1[9] | 3,4-MDP-2-P methyl glycidic acid, tert-butyl ester | (2-oxiranecarboxylic acid, 3-(1,3-benzodioxol-5-yl)-2-methyl-, tert-butyl ester)<br>HS code: 2932.99<br>CAS number: n/a |
| 2 | 3,4-METHYLENEDIOXYPHENYL-2-PROPANONE | (2-propanone,1-[3,4(methylenedioxy)phenyl]-) |
| 2[1] | 4-Anilino-N-phenethylpiperidine (ANPP) | (N-phenyl-1-(2-phenylethyl)piperidin-4-amine)<br>HS code: 2933.39 CAS number: 21409-26-7 |
| 2[2] | 4-Piperidone | (piperidin-4-one)<br>HS code: 2933.39<br>CAS number: 41661-47-6 |
| 3 | N-ACETYLANTHRANILIC ACID | (benzoic acid, 2-(acetylamino)-) |
| 3[1] | alpha-Phenylacetoacetonitrile (APAAN) | 3-oxo-2-phenylbutanenitrile |
| 3[2] | N-Phenethyl-4-piperidone (NPP) | (1-(2-phenylethyl)-piperidin-4-one)<br>HS code: 2933.39 CAS number: 39742-60-4 |
| 3[3] | alpha-Phenylacetoacetamide (APAA) | benzeneacetamide, α-acetyl- |
| 3[4] | N-Phenyl-4-piperidinamine (4-AP) | (4-Piperidinamine, N-phenyl-)<br>HS code: 2933.39<br>CAS number: 23056-29-3 |
| 4 | ERGOMETRINE | (ergoline-8-carboxamide,9,10-didehydro-N-(2-hydroxy-1-methylethyl)-6-methyl-,[8ß(S)]) |
| 5 | ERGOTAMINE | (ergotaman-3',6',18'-trione,12'-hydroxy-2'-methyl-5'-(phenylmethyl)-,(5)) |
| 6 | (Removed – 05.03.2014, No. 2043) | |
| 7 | ISOSAFROLE | (1,3-benzodioxole,5-(1-propenyl)-) |
| 8 | POTASSIUM PERMANGANATE | (permanganic acid (HMnO4), potassium salt) |
| 8[1] | Methyl alpha-phenylacetoacetate (MAPA) | Methyl 3-oxo-2-phenylbutanoate |
| 9 | (Removed – 05.03.2014, No. 2043) | |
| 10 | PIPERONAL | (1,3-benzodioxole-5-carboxaldehyde) |
| 11 | SAFROLE | (1,3-benzodioxole,5-(2-propenyl)-) |
| 11[1] | tert-Butyl 4-(phenylamino)piperidine-1-carboxylate (1-boc-4-AP) | (4-(phenylamino)-1-piperidinecarboxylic acid, 1,1 dimethylethyl ester)<br>HS code: 2933.34<br>CAS number: 125541-22-2 |
| 11[2] | tert-Butyl 4-oxopiperidine-1-carboxylate (1-boc-4-piperidone) | (1-piperidinecarboxylic acid, 4-oxo, 1,1-dimethylethyl (1-boc-4-piperidone) 3 ester)<br>HS code: 2933.39<br>CAS number: 79099-07-3 |
| 12 | (Removed – 05.03.2014, No. 2043) | |
| 13 | PHENYLACETIC ACID | (benzeneacetic acid) |
| 14 | ACETIC ANHYDRIDE | (acetic oxide) |
| 15 | P-2-P methyl glycidic acid | (2-oxiranecarboxylic acid, 2-methyl-3-phenyl-)<br>HS code: 2918.99<br>CAS number: 25547-51-7 |
| 16 | P-2-P methyl glycidic acid, methyl ester | (Ethyl 2-methyl-3-phenyl-2-oxiranecarboxylate)<br>HS code: 2918.99<br>CAS number: 41232-97-7 |
| 17 | P-2-P methyl glycidic acid, ethyl ester | (Ethyl 2-methyl-3-phenyl-2-oxiranecarboxylate)<br>HS code: 2918.99<br>CAS number: 41232-97-7 |
| 18 | P-2-P methyl glycidic acid, propyl ester | (Propyl 2-methyl-3-phenyl-2-oxiranecarboxylate)<br>HS code: 2918.99<br>CAS number: n/a |
| 19 | P-2-P methyl glycidic acid, isopropyl ester | (Isopropyl 2-methyl-3-phenyl-2-oxiranecarboxylate)<br>HS code: 2918.99<br>CAS number: n/a |
| 20 | P-2-P methyl glycidic acid, butyl ester | (Butyl 2-methyl-3-phenyl-2-oxiranecarboxylate)<br>HS code: 2918.99<br>CAS number: n/a |
| 21 | P-2-P methyl glycidic acid, isobutyl ester | (Isobutyl 2-methyl-3-phenyl-2-oxiranecarboxylate)<br>HS code: 2918.99<br>CAS number: n/a |

| № | Name of substance | Chemical name |
|---|---|---|
| 22 | P-2-P methyl glycidic acid, sec-butyl ester | (sec-butyl 2-methyl-3-phenyl-2-oxiranecarboxylate)<br>HS code: 2918.99<br>CAS number: n/a |
| 23 | P-2-P methyl glycidic acid, tert-butyl ester | (piperidin-4-one)<br>HS code: 2933.39<br>CAS number: 41661-47-6 |

## Table No. 2

| № | Name of substance | Chemical name |
|---|---|---|
| 1 | ANTHRANILIC ACID | (2-aminobenzoic acid) |
| 2 | ACETONE | (2-propanone) |
| 3 | SULPHURIC ACID | (sulfuric acid) |
| 4 | ETHYL ETHER | (1,1'-oxybis[ethane]) |
| 5 | HYDROCHLORIC ACID | (hydrochloric acid) |
| 6 | METHYL ETHYL KETONE | (2-butanone) |
| 7 | PIPERIDINE | (piperidine) |
| 8 | TOLUENE | (benzene, methyl-) |

# Annex No. 2 – List of small, large and especially large amounts of narcotic drugs and psychotropic substances seized from illegal possession or circulation

| № | Name of plant, substance and preparation | Small amount (g) | Large amount (g) | Especially large amount (g) |
|---|---|---|---|---|
| **Narcotic drugs** | | | | |
| 1 | ALLYLPRODINE | - | 1 | 1 |
| 2 | ALPHAMETHADOL | - | 1 | 1 |
| 3 | ALPHA-METHYLTHIOFENTANYL | - | 1 | 1 |
| 4 | Alpha-methyl-4-methylthiophenethylamine | - | 1 | 1 |
| 5 | ALPHA-METHYLFENTANYL | - | 1 | 1 |
| 6 | ALPHAMEPRODINE | - | 1 | 1 |
| 7 | ALPHAPRODINE | - | 1 | 1 |
| 8 | ALPHACETYLMETHADOL | - | 1 | 1 |
| 9 | ALFENTANIL | - | 1 | 1 |
| 10 | AMINEPTINE | 0.1 | 1 | 10 |
| 11 | Amobarbital (Barbamyl) | | 1 | 1 |
| 12 | AMFETAMINE (amphetamine) | 0.005 | 0.1 | 1 |
| 13 | ANILERIDINE | - | 1 | 1 |
| 14 | ACETYL-ALPHA-METHYLFENTANYL | - | 1 | 1 |
| 15 | ACETYLDIHYDROCODEINE | - | 1 | 1 |
| 16 | ACETYLMETHADOL | - | 1 | 1 |
| 17 | ACETORPHINE | - | 1 | 1 |
| 18 | BEZITRAMIDE | - | 1 | 1 |
| 19 | BENZETHIDINE | - | 1 | 1 |

| № | Name of plant, substance and preparation | Small amount (g) | Large amount (g) | Especially large amount (g) |
|---|---|---|---|---|
| 20 | BENZYLMORPHINE | - | 1 | 1 |
| 21 | BETAMETHADOL | - | 1 | 1 |
| 22 | BETAMEPRODINE | - | 1 | 1 |
| 23 | BETAPRODINE | - | 1 | 1 |
| 24 | BETACETYLMETHADOL | - | 1 | 1 |
| 25 | BETA-HYDROXY-3-METHYLFENTANYL | - | 1 | 1 |
| 26 | BETA-HYDROXYFENTANYL | - | 1 | 1 |
| 27 | Brolamfetamine (DOB) | - | 1 | 1 |
| 28 | 2C-B (4-bromo-2,5-dimethoxyphenethylamine) | - | 1 | 1 |
| 29 | BUPRENORPHINE | 0.0012 | 0.012 | 0.03 |
| 30 | BUTALBITAL | 0.005 | 0.05 | 0.5 |
| 31 | BUTORPHANOL | 0.02 | 0.2 | 2 |
| 31[1] | GHB | 1 | 10 | 50 |
| 32 | Glutethimide (Noxiron) | 1 | 10 | 100 |
| 33 | DESOMORPHINE | 0.001 | 0.01 | 1 |
| 34 | DET | - | 1 | 1 |
| 35 | DEXAMFETAMINE (dexamphetamine) | - | 1 | 1 |
| 36 | DEXTROMORAMIDE | - | 1 | 1 |
| 37 | DEXTROPROPOXYPHENE | - | 1 | 1 |
| 38 | DIAMPROMIDE | - | 1 | 1 |
| 39 | DIETHYLTHIAMBUTENE | - | 1 | 1 |
| 40 | DIMETHYLTHIAMBUTENE | - | 1 | 1 |
| 41 | DIMENOXADOL | - | 1 | 1 |
| 42 | DIMEPHEPTANOL | - | 1 | 1 |
| 43 | DIOXAPHETYL BUTYRATE | - | 1 | 1 |
| 44 | DIPIPANONE | - | 1 | 1 |
| 45 | DIPHENOXYLATE | - | 1 | 1 |
| 46 | DIFENOXIN | - | 1 | 1 |
| 47 | DIHYDROETORPHINE | - | 1 | 1 |
| 48 | DIHYDROCODEINE | - | 1 | 1 |
| 49 | DIHYDROMORPHINE | - | 1 | 1 |
| 50 | DMA (2,5-dimethoxyamphetamine) | - | 1 | 1 |
| 51 | DMT (dimethyltryptamine) | 0.005 | 0.05 | 1 |
| 52 | DMHP (dimethylheptylpyran) | - | 1 | 1 |
| 53 | DOET (2,5-dimethoxy-4-ethylamphetamine) | - | 1 | 1 |
| 54 | DRONABINOL | 0.002 | 0.02 | 0.2 |
| 55 | DROTEBANOL | - | 1 | 1 |
| 56 | N-Ethyl MDA (base and salts) | - | 1 | 1 |
| 57 | ETHYLMETHYLTHIAMBUTENE | - | 1 | 1 |
| 58 | ETHYLMORPHINE | 0.6 | 6 | 60 |
| 59 | ECGONINE | - | 0.02 | 0.02 |
| 60 | Etaminal sodium | 0.6 | 6 | 60 |
| 61 | ETICYCLIDINE (PCE) | - | 1 | 1 |
| 62 | ETONITAZENE | - | 1 | 1 |
| 63 | ETORPHINE | - | 1 | 1 |
| 64 | ETOXERIDINE | - | 1 | 1 |

| № | Name of plant, substance and preparation | Small amount (g) | Large amount (g) | Especially large amount (g) |
|---|---|---|---|---|
| 65 | ETRYPTAMINE | - | 1 | 1 |
| 66 | ZIPEPROL | 0.5 | 5 | 50 |
| 67 | THEBAINE | - | 1 | 1 |
| 68 | THEBACON | - | 1 | 1 |
| 69 | THIOFENTANYL | - | 1 | 1 |
| 70 | ISOMETHADONE | - | 1 | 1 |
| 71 | Cathine (norpseudoephedrine) | - | 1 | 1 |
| 72 | CATHINONE | - | 1 | 1 |
| 73 | Cannabis plant | 10 | 155 | 750 |
| 74 | (EXTRACTS AND TINCTURS OF CANNABIS) | - | 1 | 1 |
| 75 | (CANNABIS OIL) | - | 1 | 1 |
| 76 | (CANNABIS RESIN) | 0.05 | 0.5 | 5 |
| 77 | KETOBEMIDONE | - | 1 | 1 |
| 78 | CLONITAZENE | - | 1 | 1 |
| 79 | Codeine (base and salts) | 0.2 | 2 | 20 |
| 80 | Codeine-N-oxide | - | 1 | 1 |
| 81 | CODOXIME | - | 1 | 1 |
| 82 | Cocaine (base and salts) | 0.06 | 0.6 | 2 |
| 83 | d-Cocaine | 0.06 | 0.6 | 6 |
| 84 | Coca leaf (except leaves from which all ecgonine, cocaine and any other ecgonine alkaloids have been removed)<br>– dried<br>– fresh | 5<br>10 | 25<br>50 | 125<br>250 |
| 85 | LEVAMFETAMINE (levamphetamine) | - | 1 | 1 |
| 86 | LEVOMETHORPHAN | - | 1 | 1 |
| 87 | LEVOMETHAMPHETAMINE | - | 1 | 1 |
| 88 | LEVOMORAMIDE | - | 1 | 1 |
| 89 | LEVORPHANOL | - | 1 | 1 |
| 90 | LEVOPHENACYLMORPHAN | - | 1 | 1 |
| 91 | Lysergic acid, its derivatives and preparations, including lysergide | 0.00002 | 0.0002 | 0.001 |
| 92 | Marijuana<br>– dried<br>– fresh | 5<br>10 | 70<br>140 | 250<br>500 |
| 93 | MDMA (3,4-methylenedioxymethamphetamine) | 0.05 | 0.5 | 1 |
| 94 | Methadone (base and salts) | 0.005 | 0.2 | 1 |
| 95 | D-Methadone | - | 1 | 1 |
| 96 | L-Methadone | - | 1 | 1 |
| 97 | Methadone intermediate | - | 1 | 1 |
| 98 | Methaqualone (base and salts) | - | 1 | 1 |
| 99 | 4-METHYLAMINOREX | - | 1 | 1 |
| 100 | METHYLDESORPHINE | - | 1 | 1 |

| № | Name of plant, substance and preparation | Small amount (g) | Large amount (g) | Especially large amount (g) |
|---|---|---|---|---|
| 101 | METHYLDIHYDROMORPHINE | - | 1 | 1 |
| 102 | 3-METHYLTHIOFENTANYL | - | 1 | 1 |
| 103 | METHYLPHENIDATE | - | 1 | 1 |
| 104 | 3-METHYLFENTANYL | - | 1 | 1 |
| 105 | METHCATHINONE (EPHEDRONE) | 0.005 | 0.1 | 1 |
| 106 | MECLOQUALONE | - | 1 | 1 |
| 107 | MESCALINE | - | 0.0006 | 0.0006 |
| 108 | METAZOCINE | - | 1 | 1 |
| 109 | Methamphetamine (base and salts, regardless of the presence of accompanying substances) | 0.005 | 0.1 | 1 |
| 110 | METAMFETAMINE RACEMATE (methamphetamine racemate) | - | 1 | 1 |
| 111 | METOPON | - | 1 | 1 |
| 112 | MYROPHINE | - | 1 | 1 |
| 113 | MMDA (5-methoxy-3,4-methylenedioxyamphetamine) | - | 1 | 1 |
| 114 | Moramide intermediate | - | 1 | 1 |
| 115 | MORPHERIDINE | - | 1 | 1 |
| 116 | Morphine (base and salts) | 0.04 | 0.4 | 4 |
| 117 | Morphine methobromide | 0.04 | 0.4 | 4 |
| 118 | MORPHINE-N-OXIDE | - | 1 | 1 |
| 119 | MPPP | - | 1 | 1 |
| 120 | NICODICODINE | - | 1 | 1 |
| 121 | NALBUPHINE | 0.2 | 2 | 20 |
| 122 | NICOCODINE | - | 1 | 1 |
| 123 | NICOMORPHINE | - | 1 | 1 |
| 124 | NORACYMETHADOL | - | 1 | 1 |
| 125 | NORCODEINE | - | 1 | 1 |
| 126 | NORLEVORPHANOL | - | 1 | 1 |
| 127 | NORMETHADONE | - | 1 | 1 |
| 128 | NORMORPHINE | - | 1 | 1 |
| 129 | NORPIPANONE | - | 1 | 1 |
| 130 | Papaveretum, Pantopon, Omnopon, Oripavine | 0.04 | 0.4 | 4 |
| 131 | Opium, amfion | 0.2 | 2 | 20 |
| 132 | Extraction opium | 0.1 | 1 | 10 |
| 133 | OPII MEDICINALIS | 0.2 | 2 | 20 |
| 134 | (EXTRACT OPIUM) | 0.1 | 1 | 10 |
| 135 | (TINCTURA OPII) | 0.3 | 3 | 30 |
| 136 | OXYCODONE | - | 1 | 1 |
| 137 | OXYMORPHONE | - | 1 | 1 |
| 138 | PARA-FLUOROFENTANYL | - | 1 | 1 |
| 139 | PARAHEXYL | - | 1 | 1 |
| 140 | PETHIDINE | 0.04 | 0.4 | 4 |

| № | Name of plant, substance and preparation | Small amount (g) | Large amount (g) | Especially large amount (g) |
|---|---|---|---|---|
| 141 | Pethidine intermediates A, B, C | - | 1 | 1 |
| 142 | PENTAZOCINE | 0.1 | 1 | 10 |
| 143 | PENTOBARBITAL | 0.005 | 0.05 | 0.5 |
| 144 | PEPAP | - | 1 | 1 |
| 145 | PIMINODINE | - | 1 | 1 |
| 146 | PIRITRAMIDE | - | 1 | 1 |
| 147 | PMA (base and salts) | - | 1 | 1 |
| 148 | PROPERIDINE | - | 1 | 1 |
| 149 | PROPIRAM | - | 1 | 1 |
| 150 | PROHEPTAZINE | - | 1 | 1 |
| 151 | PSILOCYBINE | - | 0.002 | 0.002 |
| 152 | PSILOCINE, PSILOTSIN | - | 0.002 | 0.002 |
| 153 | Any species of mushroom containing psilocybin or psilocin | 0.5 | 5 | 20 |
| 154 | RACEMETHORPHAN | - | 1 | 1 |
| 155 | RACEMORAMIDE | - | 1 | 1 |
| 156 | RACEMORPHAN | - | 1 | 1 |
| 157 | REMIFENTANIL | - | 1 | 1 |
| 158 | Rolicyclidine (base and salts) | - | 1 | 1 |
| 159 | SECOBARBITAL | 0.005 | 0.05 | 0.5 |
| 160 | STP, DOM (base and salts) | - | 1 | 1 |
| 161 | SUFENTANIL | - | 1 | 1 |
| 162 | Tenamfetamine (base and salts) | - | 1 | 1 |
| 163 | Tenocyclidine (base and salts) | - | 1 | 1 |
| 164 | Tetrahydrocannabinols (all isomers and their stereochemical variants) | 0.05 | 0.5 | 5 |
| 165 | TILIDINE | 0.01 | 0.1 | 1 |
| 166 | TRAMADOL | 1 | 80 | 800 |
| 167 | TMA | - | 1 | 1 |
| 168 | Trimeperidine (Promedol) | 0.08 | 0.8 | 8 |
| 169 | PHENADOXONE | - | 1 | 1 |
| 170 | PHENAZOCINE | - | 1 | 1 |
| 171 | PHENAMPROMIDE | - | 1 | 1 |
| 172 | FENETYLLINE | - | 1 | 1 |
| 173 | PHENMETRAZINE | - | 1 | 1 |
| 174 | PHENOMORPHAN | - | 1 | 1 |
| 175 | PHENOPERIDINE | - | 1 | 1 |
| 176 | FENTANYL | 0.0005 | 0.005 | 0.05 |
| 177 | PHENCYCLIDINE (PCP) | - | 1 | 1 |
| 178 | FLUNITRAZEPAM | 0.1 | 1 | 10 |
| 179 | PHOLCODINE | 0.02 | 0.2 | 2 |
| 180 | FURETHIDINE | - | 1 | 1 |
| 181 | Opium poppy<br>– dried<br>– fresh | 10<br>20 | 50<br>100 | 500<br>1000 |
| 182 | POPPY STRAW | 5 | 50 | 500 |
| 183 | Concentrate obtained from poppy straw (calculated as opium) | 0.2 | 2 | 20 |
| 184 | EXTRACT OF POPPY STRAW | 0.1 | 1 | 10 |

| № | Name of plant, substance and preparation | Small amount (g) | Large amount (g) | Especially large amount (g) |
|---|---|---|---|---|
| 185 | Any kind of tincture and latex of poppy (opium poppy) | 5 | 10 | 50 |
| 186 | Any species of poppy that is not the opium poppy but contains a narcotic drug | 1000 | 5000 | 25000 |
| 187 | Product prepared from any species of poppy that is not the opium poppy but contains a narcotic drug | 1.5 | 15 | 150 |
| 188 | Cyclobarbital (Tsikorapiiao) | 2 | 20 | 200 |
| 189 | HEROIN | 0.005 | 0.2 | 0.5 |
| 190 | HYDROCODONE | 0.2 | 2 | 20 |
| 191 | HYDROMORPHINOL | - | 1 | 1 |
| 192 | HYDROMORPHONE | - | 1 | 1 |
| 193 | N-Hydroxy MDA, N-hydroxy-methylenedioxyamphetamine | - | 1 | 1 |
| 194 | HYDROXYPETHIDINE | - | 1 | 1 |
| 195 | JWH-018 | 0.05 | 0.5 | 5 |
| 196 | JWH-398 | 0.05 | 0.5 | 5 |
| 197 | JWH-073 | 0.05 | 0.5 | 5 |
| 198 | JWH-200 | 0.05 | 0.5 | 5 |
| 199 | HU-210 | 0.05 | 0.5 | 5 |
| 200 | CP-47,497 | 0.05 | 0.5 | 5 |
| 201 | JWH-250 | 0.05 | 0.5 | 5 |
| 202 | JWH-081 | 0.05 | 0.5 | 5 |
| 203 | JWH-122 | 0.05 | 0.5 | 5 |
| 204 | 4,4'-DMAR, 4,4'Dimethylaminorex | - | - | - |
| 205 | α-PVP | 0.001 | 0.2 | 1 |
| 206 | AH-7921 | - | - | - |
| 207 | Acetylfentanyl | - | - | - |
| 208 | N-BENZYLPIPERAZINE (Benzylpiperazine, BZP) | 0.02 | 0.2 | 1 |
| 209 | MDPV (3,4-Methylenedioxypyrovalerone) | 0.005 | 0.1 | 1 |
| 210 | METHYLONE (Beta-keto-MDMA) | - | - | - |
| 211 | METHOXETAMINE (MXE) | - | - | - |
| 212 | MEPHEDRONE (4-methylmethcathinone) | 0.01 | 0.1 | 1 |
| 213 | MT-45 | - | - | - |
| 214 | JWH-2201 (AM-2201) | - | - | - |
| 215 | 25B-NBOMe (2C-B-NBOMe) | - | - | - |
| 216 | 25C-NBOMe (2C-C-NBOMe) | - | - | - |
| 217 | 25I-NBOMe (2C-I-NBOMe) | - | - | - |
| 218 | 3398-68-3 (PMMA) | - | - | - |
| 219 | 4-METHYLETHCATHINONE | - | - | - |
| 220 | 5F-APINACA | - | - | - |

| № | Name of plant, substance and preparation | Small amount (g) | Large amount (g) | Especially large amount (g) |
|---|---|---|---|---|
| 221 | BUTYRFENTANYL | - | - | - |
| 222 | ETHYLONE | - | - | - |
| 223 | ETHYLPHENIDATE | - | - | - |
| 224 | XLR-11 | - | - | - |
| 225 | MDMB-CHMICA | - | - | - |
| 226 | METHIOPROPAMINE | - | - | - |
| 227 | PENTEDRONE | - | - | - |
| 228 | U-47700 | - | - | - |
| 229 | Parafluorobutyrylfentanyl | - | - | - |
| 230 | Orthofluorofentanyl | - | - | - |
| 231 | Cyclopropylfentanyl | - | - | - |
| 232 | Methoxyacetylfentanyl | - | - | - |
| 233 | ADB-FUBINACA | - | - | - |
| 234 | FUB-AMB (MMB-FUBINACA, AMB-FUBINACA) | - | - | - |
| 235 | CUMYL-4CN-BINACA | - | - | - |
| 236 | ADB-CHMINACA (MAB-CHMINACA) | - | - | - |
| 237 | N-ETHYLNORPENTYLONE (Ephylone) | - | - | - |
| 238 | 4-Fluoroamphetamine (4-FA) | - | - | - |
| 239 | 5F-PB-22 | - | - | - |
| 240 | UR-144 | - | - | - |
| 241 | AB-PINACA | 0.001 | 0.01 | 1 |
| 242 | 5F-MDMB-PINACA (5F-ADB) | - | - | - |
| 243 | AB-CHMINACA | - | - | - |
| 244 | Tetrahydrofuranylfentanyl (THF-F) | - | - | - |
| 245 | 4-Fluoroisobutyrfentanyl (4-FIBF, pFIBF) | - | - | - |
| 246 | Acryloylfentanyl (Acrylfentanyl) | - | - | - |
| 247 | Furanylfentanyl | - | - | - |
| 248 | Ocfentanil | - | - | - |
| 249 | Carfentanil | - | - | - |
| 250 | 4-CMC (4-chloromethcathinone; clephedrone) | - | - | - |
| 251 | 4F-MDMB-BINACA | - | - | - |
| 252 | 5F-AMB-PINACA (5F-AMB, 5F-MMB-PINACA) | - | - | - |
| 253 | 5F-MDMB-PICA (5F-MDMB-2201) | - | - | - |
| 254 | N-ethylhexedrone | - | - | - |
| 255 | AB-FUBINACA | - | - | - |
| 256 | alpha-PHP | - | - | - |
| 257 | DOC | - | - | - |
| 258 | VALERYLFENTANYL | - | - | - |
| 259 | CROTONYLFENTANYL | - | - | - |
| 260 | Isotonitazene | - | - | - |
| 261 | CUMYL-PEGACLONE | - | - | - |
| 262 | MDMB-4en-PINACA | - | - | - |
| 263 | 3-Methoxyphencyclidine | - | - | - |

| № | Name of plant, substance and preparation | Small amount (g) | Large amount (g) | Especially large amount (g) |
|---|---|---|---|---|
| 264 | Diphenidine | - | - | - |
| 265 | Clonazolam | - | - | - |
| 266 | Diclazepam | - | - | - |
| 267 | Flubromazolam | - | - | - |
| 268 | BRORPHINE | - | - | - |
| 269 | METONITAZENE | - | - | - |
| 270 | Eutylone | - | - | - |
| 271 | Norfentanyl | - | - | - |
| 272 | 2-methyl-AP-237 | - | - | - |
| 273 | 2-fluorodeschloroketamine | - | - | - |
| 274 | 3-chloromethcathinone (3-CMC) | - | - | - |
| 275 | 3-Methylmethcathinone | - | - | - |
| 276 | N-pyrrolidino protonitazene | - | - | - |
| 277 | N-pyrrolidino metonitazene | - | - | - |
| 278 | N-desethyl isotonitazene | - | - | - |
| 279 | ADB-BUTINACA | - | - | - |
| 280 | alpha-PiHP | - | - | - |
| 281 | Butonitazene | - | - | - |
| 282 | Dipentylone | - | - | - |
| 283 | Etazene | - | - | - |
| 284 | Etonitazepyne | - | - | - |
| 285 | Etonitazepipne | - | - | - |
| 286 | Protonitazene | - | - | - |
| **Psychotropic substances** | | | | |
| 1 | ALLOBARBITAL | 15 | 150 | 1500 |
| 2 | ALPRAZOLAM | 0.25 | 2.5 | 25 |
| 3 | AMINOREX | 0.1 | 1 | 10 |
| 4 | AMFEPRAMONE (DIETHYLPROPION) | 1.5 | 15 | 150 |
| 5 | BARBITAL | 15 | 150 | 1500 |
| 6 | BENZFETAMINE (benzphetamine) | 0.1 | 1 | 10 |
| 7 | BROMAZEPAM | 1 | 10 | 100 |
| 8 | BROTIZOLAM | 2.5 | 25 | 250 |
| 9 | BUTOBARBITAL (BUTOBARBITAL) | 7 | 14 | 140 |
| 10 | (Removed – 29.07.2014, No. 2561) | | | |
| 11 | DELORAZEPAM | 0.25 | 2.5 | 25 |
| 12 | DIAZEPAM | 0.25 | 2.5 | 25 |
| 13 | ETILAMFETAMINE (N-ETHYLAMPHETAMINE) | 0.1 | 1 | 10 |
| 14 | ETHYL LOFLAZEPATE | 0.25 | 2.5 | 25 |
| 15 | ETHINAMATE | 20 | 100 | 1000 |
| 16 | ETHCHLORVYNOL | 20 | 100 | 1000 |
| 17 | ESTAZOLAM | 0.1 | 1 | 10 |
| 17[1] | EPHEDRINE | 0.15 | 1.5 | 15 |
| 17[2] | Etizolam | _ | _ | _ |
| 18 | VINYLBITAL | 15 | 150 | 1500 |
| 19 | ZOLPIDEM | 0.25 | 2.5 | 25 |
| 20 | TIANEPTINE | 0.125 | 1.25 | 12.5 |
| 21 | CAMAZEPAM | 0.25 | 2.5 | 25 |

| № | Name of plant, substance and preparation | Small amount (g) | Large amount (g) | Especially large amount (g) |
|---|---|---|---|---|
| 22 | KETAZOLAM | 0.25 | 2.5 | 25 |
| 23 | KETAMINE | 0.1 | 1 | 3 |
| 24 | CLOBAZAM | 0.5 | 5 | 50 |
| 25 | CLONAZEPAM | 0.05 | 0.5 | 5 |
| 26 | CLORAZEPATE | 0.25 | 2.5 | 25 |
| 27 | CLOTIAZEPAM | 0.25 | 2.5 | 25 |
| 27[1] | Bromazolam | _ | _ | _ |
| 28 | CLOXAZOLAM | 0.25 | 2.5 | 25 |
| 29 | LEFETAMINE (SPA) | 0.1 | 1 | 10 |
| 30 | LOPRAZOLAM | 0.25 | 2.5 | 25 |
| 31 | LORAZEPAM | 0.125 | 1.25 | 12.5 |
| 32 | LORMETAZEPAM | 0.25 | 2.5 | 25 |
| 33 | MAZINDOL | 0.02 | 0.2 | 2 |
| 34 | MEDAZEPAM | 0.5 | 5 | 50 |
| 35 | Mesocarb (Sydnocarb) | 0.25 | 2.5 | 25 |
| 36 | METHYLPHENOBARBITAL | 15 | 150 | 1500 |
| 37 | METHYPRYLON | 0.1 | 1 | 10 |
| 38 | MEPROBAMATE | 3 | 30 | 300 |
| 39 | MEFENOREX | 20 | 100 | 1000 |
| 40 | MIDAZOLAM | 0.75 | 7.5 | 75 |
| 41 | NIMETAZEPAM | 0.25 | 2.5 | 25 |
| 42 | Nitrazepam (Radedorm) | 0.15 | 1.5 | 15 |
| 43 | NORDAZEPAM | 0.25 | 2.5 | 25 |
| 43[1] | NOREPHEDRINE | 0.15 | 1.5 | 15 |
| 44 | OXAZEPAM | 0.25 | 2.5 | 25 |
| 45 | OXAZOLAM | 0.25 | 2.5 | 25 |
| 46 | PEMOLINE | 0.25 | 2.5 | 25 |
| 47 | PINAZEPAM | 0.25 | 2.5 | 25 |
| 48 | PIPRADROL | 0.1 | 1 | 10 |
| 49 | PYROVALERONE | 0.1 | 1 | 10 |
| 50 | PRAZEPAM | 0.25 | 2.5 | 25 |
| 51 | PREGABALIN | 0.6 | 6.0 | 20 |
| 52 | RELADORM | - | - | - |
| 53 | SECBUTABARBITAL | 7 | 14 | 140 |
| 54 | TEMAZEPAM | 0.25 | 2.5 | 25 |
| 55 | TETRAZEPAM | 2.5 | 25 | 250 |
| 56 | TRIAZOLAM | 0.0125 | 0.125 | 1.25 |
| 57 | PHENAZEPAM | 0.25 | 2.5 | 25 |
| 58 | PHENDIMETRAZINE | 0.25 | 2.5 | 25 |
| 59 | FENCAMFAMIN | 0.25 | 2.5 | 25 |
| 60 | PHENOBARBITAL | 25 | 250 | 500 |
| 61 | FENPROPOREX | 0.25 | 2.5 | 25 |
| 62 | PHENTERMINE | 0.1 | 1 | 10 |
| 62[1] | Flualprazolam | _ | _ | _ |
| 63 | FLUDIAZEPAM | 0.25 | 2.5 | 25 |
| 64 | FLURAZEPAM | 0.25 | 2.5 | 25 |
| 64[1] | PSEUDOEPHEDRINE | 0.3 | 3 | 30 |
| 65 | CHLORDIAZEPOXIDE | 0.25 | 2.5 | 25.0 |
| 66 | HALAZEPAM | 0.25 | 2.5 | 25 |
| 67 | HALOXAZOLAM | 0.25 | 2.5 | 25 |
| 68 | Baclofen | 0.01 | 0.1 | 0.5 |
| 69 | Gabapentin | 0.3 | 3 | 15 |
| 70 | Trihexyphenidyl (Cyclodol) | 0.002 | 0.2 | 1 |